

Safety Data Sheet

according to UK REACH Regulation

Taleranol			
Revision date: 27.02.2024	Product code: MT009		Page 1 of 7
		1.4.12	
SECTION 1: Identification of the s	ubstance/mixture and of the company/un	dertaking	
1.1. Product identifier			
Taleranol			
Further trade names			
beta-Zearalanol			
(7S,11S)-2,4,11-Trihydroxy-7-m	ethyl-7,8,9,10,11,12,13,14,15,16-decahydro-6-c	xa-benzocyclotetradecen	
-5-one			
CAS No:	42422-68-4		
1.2. Relevant identified uses of the se	ubstance or mixture and uses advised against		
Use of the substance/mixture			
Reference standard for analysis	;.		
1.3. Details of the supplier of the safe	ety data sheet		
Company name:	WITEGA Laboratorien Berlin-Adlershof GmbH		
Street:	James-Franck-Strasse 4		
Place:	D-12489 Berlin		
Telephone:	+493063922001	Telefax: +493063922007	
e-mail:	witega@witega.de		
Internet:	www.witega.de		
1.4. Emergency telephone	+493063922001		

1.4. Emergency telephone

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Carc. 2; H351 Acute Tox. 4; H332 Acute Tox. 4; H312 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2B; H320 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Pictograms:

GB CLP Regulation

Signal word:

Warning



Hazard statements

H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H335	May cause respiratory irritation.
H315+H320	Causes skin and eye irritation.
H351	Suspected of causing cancer.

Precautionary statements

P281	Use personal protective equipment as required.
P262	Do not get in eyes, on skin, or on clothing.



according to UK REACH Regulation

	Taleranol	
Revision date: 27.02.2024	Product code: MT009	Page 2 of 7
P261 P305+P351+P338	Avoid breathing dust/fume/gas/mist/vapours/spray. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
2.3. Other hazards		

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	C18H26O5
Molecular weight:	322.40 g/mol

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	EC No Index No REACH No		
	Classification (GB CLP Regulation)			
42422-68-4	Taleranol		100 %	
	Carc. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2B, STOT SE 3; H351 H332 H312 H302 H315 H320 H335			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
42422-68-4		Taleranol	100 %
inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Remove contaminated, saturated clothing immediately. Subsequently wash off with: Water and soap

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Get immediate medical advice/attention.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures



according to UK REACH Regulation

Taleranol

Revision date: 27.02.2024

Product code: MT009

Page 3 of 7

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet. Foam. Dry extinguishing powder. Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic. In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment. Do not breathe gas/fumes/vapour/spray.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Take up dust-free and set down dust-free.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Advice on general occupational hygiene

Use personal protection equipment.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Avoid: UV-radiation/sunlight

Further information on storage conditions

storage temperature: 2-8°C

7.3. Specific end use(s)

none

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection



according to UK REACH Regulation

Taleranol

Revision date: 27.02.2024

Product code: MT009

Page 4 of 7

Hand protection

Wear suitable gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

lab coat

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical s	ion on pasic physical and che	solid	
Colour:	date.	white	
Odour:		odourless	
Melting po	pint/freezing point:		150-152 °C
• ·	int or initial boiling point and		No data available
boiling rar	nge:		
Flammabi	lity:		No data available
Lower exp	olosion limits:		No data available
Upper exp	plosion limits:		No data available
Flash poir	nt:		No data available
Auto-igniti	ion temperature:		No data available
Decompos	sition temperature:		No data available
pH-Value:			No data available
Water solu	ubility:		No data available
Solubility i	in other solvents		
No da	ta available		
	coefficient n-octanol/water:		No data available
Vapour pr	essure:		No data available
Density:			No data available
Relative v	apour density:		No data available
9.2. Other inf	formation		
	on with regard to physical haz	ard classes	
•	properties		
	ta available		
-	on temperature		
Solid:			No data available No data available
Gas:	properties		No data avallable
•	properties ta available		
	ety characteristics		NU U U U U U
Evaporatio			No data available
Further In	nformation		
none			

none

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with : Oxidising agent, Alkali (lye), Etchant and acids

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.



according to UK REACH Regulation

Taleranol

Revision date: 27.02.2024

Product code: MT009

Page 5 of 7

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Do not expose to temperatures exceeding 50 °C/122 °F.

10.5. Incompatible materials

Oxidising agent, Alkali (lye), Etchant and acids

10.6. Hazardous decomposition products

In case of fire may be liberated: Pyrolysis products, toxic.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
42422-68-4	4 Taleranol					
	oral	ATE mg/kg	500			
	dermal	ATE mg/kg	1100			
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

Irritation and corrosivity

Causes skin and eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (Taleranol) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (Taleranol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.



according to UK REACH Regulation

Taleranol

Revision date: 27.02.2024

Product code: MT009

Page 6 of 7

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH. This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Contaminated packaging

This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information		
Land transport (ADR/RID)		

14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
Marine transport (IMDG) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No

14.6. Special precautions for user

No data available

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water hazard class (D):	3 - highly hazardous to water
15.2. Chemical safety assessment	

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information



according to UK REACH Regulation

Taleranol

Revision date: 27.02.2024

Product code: MT009

Page 7 of 7

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H315+H320	Causes skin and eye irritation.
H320	Causes eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.

Further Information

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The substances are only for R&D. Do not use as a drug, in household or other applications.