

# according to UK REACH Regulation

# Fluorescent brightener 135

Revision date:

CAS No:

Product code: OP250

Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Fluorescent brightener 135

### Further trade names

1,2-Bis(5-methylbenzoxazol-2-yl)ethene

Substance name: Fluorescent brightener 135 1041-00-5

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Reference standard for analysis.

### 1.3. Details of the supplier of the safety data sheet

Company name: WITEGA Laboratorien Berlin-Adlershof GmbH Street: James-Franck-Strasse 4 Place: D-12489 Berlin Telephone: +493063922001 Telefax: +493063922007 e-mail: witega@witega.de Internet: www.witega.de +493063922001 1.4. Emergency telephone

### number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

GΒ	CLP	Regulation
----	-----	------------

Signal word:

**Pictograms:** 



#### Hazard statements

H302	
H315	
H319	
H335	

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

2.3. Other hazards No data available

**SECTION 3: Composition/information on ingredients** 

### 3.1. Substances



# according to UK REACH Regulation

## Fluorescent brightener 135

Revision date:	
----------------	--

Product code: OP250

Page 2 of 7

Sum formula:	C18H14N2O2
Molecular weight:	290.32 g/mol

### Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
1041-00-5	Fluorescent brightener 135		100 %	
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H302 H315 H319 H335			

# Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE			
CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1041-00-5		Fluorescent brightener 135	100 %
	oral: ATE = 500 mg/kg		

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

### After contact with skin

Remove contaminated, saturated clothing immediately. Subsequently wash off with: Water and soap

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water. Get immediate medical advice/attention. Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps.

Do NOT induce volniung. Never give anything by mouth to an unconscious person of a person wi

# 4.2. Most important symptoms and effects, both acute and delayed

## No data available

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet. Foam. Dry extinguishing powder. Carbon dioxide (CO2).

# 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic. In case of fire and/or explosion do not breathe fumes.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**



# according to UK REACH Regulation

# Fluorescent brightener 135

Revision date:

Product code: OP250

Page 3 of 7

## 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Use personal protection equipment. Do not breathe gas/fumes/vapour/spray.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

### Other information

Take up dust-free and set down dust-free.

### 6.4. Reference to other sections

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

## Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

### Advice on general occupational hygiene

Use personal protection equipment.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Avoid: UV-radiation/sunlight

### Further information on storage conditions

storage temperature: 2-8°C

## 7.3. Specific end use(s)

none

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.2. Exposure controls

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Individual protection measures, such as personal protective equipment

### Eye/face protection

Eye glasses with side protection

## Hand protection

Wear suitable gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

## Skin protection

lab coat

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.



according to UK REACH Regulation

# **Fluorescent brightener 135**

Revision date:

Product code: OP250

Page 4 of 7

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

<u>.</u>	Physical state:	solid	
	Colour: Odour:	light yellow odourless	
	Changes in the physical state	ododness	
	Melting point/freezing point:		189-191 °C
	Boiling point or initial boiling point and boiling range:		No data available
	Flash point:		No data available
	Flammability Solid/liquid:		No data available
	Gas:		No data available
	Explosive properties No data available		
	Lower explosion limits:		No data available
	Upper explosion limits:		No data available
	Auto-ignition temperature:		No data available
	<b>Self-ignition temperature</b> Solid: Gas:		No data available No data available
	Decomposition temperature:		No data available
	pH-Value:		No data available
	Water solubility:		No data available
	Solubility in other solvents No data available		
	Partition coefficient n-octanol/water:		No data available
	Vapour pressure:		No data available
	Density:		No data available
	Relative vapour density:		No data available
<u>9</u> .	2. Other information		
	Information with regard to physical haz	ard classes	
	Oxidizing properties No data available		
	Other safety characteristics		
	Evaporation rate:		No data available
	Further Information		
	none		

none

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Reacts with : Oxidising agent, Alkali (lye), Etchant and acids

# 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.



# according to UK REACH Regulation

# Fluorescent brightener 135

Revision date:

Product code: OP250

Page 5 of 7

# 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Do not expose to temperatures exceeding 50 °C/122 °F.

# 10.5. Incompatible materials

Oxidising agent, Alkali (lye), Etchant and acids

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Pyrolysis products, toxic.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

### Acute toxicity

# Harmful if swallowed.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1041-00-5	Fluorescent brightener 135				
	oral	ATE 500 mg/kg			

# Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause respiratory irritation. (Fluorescent brightener 135)

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available

## **SECTION 12: Ecological information**

### 12.1. Toxicity

No data available

### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

## 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH. This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.



according to UK REACH Regulation

# Fluorescent brightener 135

Revision date:

Product code: OP250

Page 6 of 7

# 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

# 12.7. Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### Disposal recommendations

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### Contaminated packaging

This material and its container must be disposed of as hazardous waste.

## **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
Marine transport (IMDG) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No

# 14.6. Special precautions for user

No data available

# 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or
	nursing mothers.
Water hazard class (D):	3 - highly hazardous to water

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

## Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.



# according to UK REACH Regulation

# **Fluorescent brightener 135**

Product code: OP250

Page 7 of 7

# Revision date:

# Further Information

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The substances are only for R&D. Do not use as a drug, in household or other applications.