#### WITEGA Laboratorien Berlin-Adlershof GmbH



## **Safety Data Sheet**

according to UK REACH Regulation

#### Sulfonamides Mix 2: various concentrations in Methanol/Acetonitrile 1:1

Revision date: Product code: SA-MIX015-AMP Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Sulfonamides Mix 2; various concentrations in Methanol/Acetonitrile 1:1

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Reference standard for analysis.

## 1.3. Details of the supplier of the safety data sheet

Company name: WITEGA Laboratorien Berlin-Adlershof GmbH

Street: James-Franck-Strasse 4

Place: D-12489 Berlin

Telephone: +493063922001 Telefax: +493063922007

e-mail: witega@witega.de
Internet: www.witega.de

1.4. Emergency telephone +493063922001

number:

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Hazard Statements:

Highly flammable liquid and vapour.

Toxic if swallowed, in contact with skin or if inhaled.

Causes serious eye irritation. Causes damage to organs.

### 2.2. Label elements

### **GB CLP Regulation**

Signal word: Danger

Pictograms:







#### **Hazard statements**

H225 Highly flammable liquid and vapour.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H319 Causes serious eye irritation. H370 Causes damage to organs.

## **Precautionary statements**

P281 Use personal protective equipment as required.
P262 Do not get in eyes, on skin, or on clothing.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

## 2.3. Other hazards

No data available

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures



according to UK REACH Regulation

# Sulfonamides Mix 2; various concentrations in Methanol/Acetonitrile 1:1

Revision date: Product code: SA-MIX015-AMP Page 2 of 10

## **Hazardous components**

| CAS No    | Chemical name                                                                                                                          |             |  |  |  |  |  |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------|-------------|--|--|--|--|--|
|           | EC No Index No REACH No                                                                                                                |             |  |  |  |  |  |
|           | Classification (GB CLP Regulation)                                                                                                     |             |  |  |  |  |  |
| 75-05-8   | acetonitrile; cyanomethane                                                                                                             | 45 - < 50 % |  |  |  |  |  |
|           | 200-835-2 608-001-00-3                                                                                                                 |             |  |  |  |  |  |
|           | Flam. Liq. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H225 H332 H312 H302 H319                                         |             |  |  |  |  |  |
| 67-56-1   | methanol                                                                                                                               | 45 - < 50 % |  |  |  |  |  |
|           | 200-659-6 603-001-00-X                                                                                                                 |             |  |  |  |  |  |
|           | Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370                                            |             |  |  |  |  |  |
| 1220-83-3 | Sulfamonomethoxine                                                                                                                     | < 0.1 %     |  |  |  |  |  |
|           | Skin Irrit. 2, Eye Irrit. 2B, Skin Sens. 1, STOT SE 3; H315 H320 H317 H335                                                             |             |  |  |  |  |  |
| 57-68-1   | Sulfadimidine                                                                                                                          | < 0.1 %     |  |  |  |  |  |
|           |                                                                                                                                        |             |  |  |  |  |  |
| 723-46-6  | Sulfamethoxazole                                                                                                                       | < 0.1 %     |  |  |  |  |  |
|           | Repr. 2, Aquatic Chronic 2; H361fd H411                                                                                                |             |  |  |  |  |  |
| 80-32-0   | Sulfachloropyridazine                                                                                                                  | < 0.1 %     |  |  |  |  |  |
|           | Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, Aquatic Acute 1; H302 H315 H319 H334 H317 H335 H400 |             |  |  |  |  |  |
| 127-79-7  | Sulfamerazine                                                                                                                          | < 0.1 %     |  |  |  |  |  |
|           | Acute Tox. 4; H302                                                                                                                     |             |  |  |  |  |  |
| 122-11-2  | Sulfadimethoxine                                                                                                                       | < 0.1 %     |  |  |  |  |  |
|           | Acute Tox. 4; H302                                                                                                                     |             |  |  |  |  |  |
| 72-14-0   | Sulfathiazole                                                                                                                          | < 0.1 %     |  |  |  |  |  |
|           | Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Aquatic Chronic 3; H315 H319 H335 H412                                                         |             |  |  |  |  |  |
| 144-82-1  | Sulfamethizole                                                                                                                         | < 0.1 %     |  |  |  |  |  |
|           | Skin Sens. 1; H317                                                                                                                     |             |  |  |  |  |  |
| 2447-57-6 | Sulfadoxine                                                                                                                            | < 0.1 %     |  |  |  |  |  |
|           | Skin Sens. 1, Aquatic Chronic 2; H317 H411                                                                                             |             |  |  |  |  |  |
| 68-35-9   | Sulfadiazine                                                                                                                           | < 0.1 %     |  |  |  |  |  |
|           | Repr. 2, Acute Tox. 4, Aquatic Chronic 2; H361 H302 H411                                                                               |             |  |  |  |  |  |
| 599-79-1  | Sulfasalazine                                                                                                                          | < 0.1 %     |  |  |  |  |  |
|           | Carc. 2, Repr. 2, Resp. Sens. 1, Skin Sens. 1, Aquatic Chronic 2; H351 H361f H334 H317 H411                                            |             |  |  |  |  |  |
| 144-83-2  | Sulfapyridine                                                                                                                          | < 0.1 %     |  |  |  |  |  |
|           | Repr. 2; H361fd                                                                                                                        |             |  |  |  |  |  |
| 80-35-3   | Sulfamethoxypyridazine                                                                                                                 | < 0.1 %     |  |  |  |  |  |
|           | Resp. Sens. 1, Skin Sens. 1; H334 H317                                                                                                 |             |  |  |  |  |  |
| 57-67-0   | Sulfaguanidine                                                                                                                         | < 0.1 %     |  |  |  |  |  |
|           | Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335                                                                                 |             |  |  |  |  |  |
| 63-74-1   | Sulfanilamide                                                                                                                          | < 0.1 %     |  |  |  |  |  |
| 59-40-5   | Sulfaquinoxaline                                                                                                                       | < 0.1 %     |  |  |  |  |  |
|           | Acute Tox. 4, Resp. Sens. 1, Skin Sens. 1; H302 H334 H317                                                                              | 5.1 70      |  |  |  |  |  |
| 102-65-8  | Sulfachloropyrazine (Sulfaclozine)                                                                                                     | < 0.1 %     |  |  |  |  |  |



according to UK REACH Regulation

## Sulfonamides Mix 2; various concentrations in Methanol/Acetonitrile 1:1

Revision date: Product code: SA-MIX015-AMP Page 3 of 10

|         | Acute Tox. 4, Skin Irrit. 2, |                                        |  |  |  |  |  |
|---------|------------------------------|----------------------------------------|--|--|--|--|--|
| 80-08-0 | dapsone; 4,4'-diamino dipl   | dapsone; 4,4'-diamino diphenyl sulfone |  |  |  |  |  |
|         | 201-248-4                    | 201-248-4 612-084-00-1                 |  |  |  |  |  |
|         | Acute Tox. 4; H302           | Acute Tox. 4; H302                     |  |  |  |  |  |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No    | EC No Chemical name                                                                                                                                                                       | Quantity    |  |  |  |  |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--|--|--|--|
| 0.40 110  | Specific Conc. Limits, M-factors and ATE                                                                                                                                                  | Quantity    |  |  |  |  |
| 75-05-8   | 200-835-2 acetonitrile; cyanomethane                                                                                                                                                      | 45 - < 50 % |  |  |  |  |
| 10 00 0   | inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 =                                                                                          | 10 10 10    |  |  |  |  |
|           | 988 mg/kg; oral: ATE = 500 mg/kg                                                                                                                                                          |             |  |  |  |  |
| 67-56-1   | 200-659-6 methanol                                                                                                                                                                        | 45 - < 50 % |  |  |  |  |
|           | inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10 |             |  |  |  |  |
| 1220-83-3 | Sulfamonomethoxine                                                                                                                                                                        | < 0.1 %     |  |  |  |  |
|           | oral: LD50 = >10000 mg/kg                                                                                                                                                                 |             |  |  |  |  |
| 723-46-6  | Sulfamethoxazole                                                                                                                                                                          | < 0.1 %     |  |  |  |  |
|           | oral: LD50 = 2300 mg/kg                                                                                                                                                                   |             |  |  |  |  |
| 80-32-0   | Sulfachloropyridazine                                                                                                                                                                     | < 0.1 %     |  |  |  |  |
|           | oral: ATE = 500 mg/kg                                                                                                                                                                     |             |  |  |  |  |
| 127-79-7  | Sulfamerazine                                                                                                                                                                             | < 0.1 %     |  |  |  |  |
|           | oral: LD50 = 1500 mg/kg                                                                                                                                                                   |             |  |  |  |  |
| 122-11-2  | Sulfadimethoxine                                                                                                                                                                          | < 0.1 %     |  |  |  |  |
|           | oral: LD50 = 1000 mg/kg                                                                                                                                                                   |             |  |  |  |  |
| 72-14-0   | Sulfathiazole                                                                                                                                                                             | < 0.1 %     |  |  |  |  |
|           | oral: LD50 = 4500 mg/kg                                                                                                                                                                   |             |  |  |  |  |
| 144-82-1  | Sulfamethizole                                                                                                                                                                            | < 0.1 %     |  |  |  |  |
|           | oral: LD50 = 3500 mg/kg                                                                                                                                                                   |             |  |  |  |  |
| 2447-57-6 | Sulfadoxine                                                                                                                                                                               | < 0.1 %     |  |  |  |  |
|           | oral: LD50 = 5200 mg/kg                                                                                                                                                                   |             |  |  |  |  |
| 68-35-9   | Sulfadiazine                                                                                                                                                                              | < 0.1 %     |  |  |  |  |
|           | oral: LD50 = 1500 mg/kg                                                                                                                                                                   |             |  |  |  |  |
| 599-79-1  | Sulfasalazine                                                                                                                                                                             | < 0.1 %     |  |  |  |  |
|           | oral: LD50 = 15600 mg/kg                                                                                                                                                                  |             |  |  |  |  |
| 144-83-2  | Sulfapyridine                                                                                                                                                                             | < 0.1 %     |  |  |  |  |
|           | oral: LD50 = 15800 mg/kg                                                                                                                                                                  |             |  |  |  |  |
| 80-35-3   | Sulfamethoxypyridazine                                                                                                                                                                    | < 0.1 %     |  |  |  |  |
|           | oral: LD50 = 2739 mg/kg                                                                                                                                                                   |             |  |  |  |  |
| 63-74-1   | Sulfanilamide                                                                                                                                                                             | < 0.1 %     |  |  |  |  |
|           | oral: LD50 = 3900 mg/kg                                                                                                                                                                   |             |  |  |  |  |
| 59-40-5   | Sulfaquinoxaline                                                                                                                                                                          | < 0.1 %     |  |  |  |  |
|           | oral: LD50 = 1370 mg/kg                                                                                                                                                                   |             |  |  |  |  |
| 102-65-8  | Sulfachloropyrazine (Sulfaclozine)                                                                                                                                                        | < 0.1 %     |  |  |  |  |
|           | oral: ATE = 500 mg/kg                                                                                                                                                                     |             |  |  |  |  |
| 80-08-0   | 201-248-4 dapsone; 4,4'-diamino diphenyl sulfone                                                                                                                                          | < 0.1 %     |  |  |  |  |
|           | oral: ATE = 500 mg/kg                                                                                                                                                                     |             |  |  |  |  |

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures



according to UK REACH Regulation

#### Sulfonamides Mix 2: various concentrations in Methanol/Acetonitrile 1:1

Revision date: Product code: SA-MIX015-AMP Page 4 of 10

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### After contact with skin

Remove contaminated, saturated clothing immediately. Subsequently wash off with: Water and soap

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Get immediate medical advice/attention.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet. Foam. Dry extinguishing powder. Carbon dioxide (CO2).

## 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic. In case of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment. Do not breathe gas/fumes/vapour/spray.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

### Other information

Take up dust-free and set down dust-free.

## 6.4. Reference to other sections

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

#### Advice on general occupational hygiene

Use personal protection equipment.



according to UK REACH Regulation

#### Sulfonamides Mix 2: various concentrations in Methanol/Acetonitrile 1:1

Revision date: Product code: SA-MIX015-AMP Page 5 of 10

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Avoid: UV-radiation/sunlight

#### Further information on storage conditions

storage temperature: 2-8°C

#### 7.3. Specific end use(s)

none

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

| CAS No  | Substance    | ppm | mg/m³ | fibres/ml | Category      | Origin |
|---------|--------------|-----|-------|-----------|---------------|--------|
| 75-05-8 | Acetonitrile | 40  | 68    |           | TWA (8 h)     | WEL    |
|         |              | 60  | 102   |           | STEL (15 min) | WEL    |
| 67-56-1 | Methanol     | 200 | 266   |           | TWA (8 h)     | WEL    |
|         |              | 250 | 333   |           | STEL (15 min) | WEL    |

#### 8.2. Exposure controls

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Individual protection measures, such as personal protective equipment

## Eye/face protection

Eye glasses with side protection

### Hand protection

Wear suitable gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

#### Skin protection

lab coat

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: yellow
Odour: Alcohol

Boiling point or initial boiling point and

No data available

boiling range:

Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value: No data available Water solubility: No data available



according to UK REACH Regulation

## Sulfonamides Mix 2; various concentrations in Methanol/Acetonitrile 1:1

Revision date: Product code: SA-MIX015-AMP Page 6 of 10

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Density:

No data available

No data available

No data available

No data available

Relative vapour density:

No data available

## 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties
No data available
Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available

**Further Information** 

none

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Reacts with: Oxidising agent, Alkali (Iye), Etchant and acids

## 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Do not expose to temperatures exceeding 50 °C/122 °F.

## 10.5. Incompatible materials

Oxidising agent, Alkali (Iye), Etchant and acids

## 10.6. Hazardous decomposition products

In case of fire may be liberated: Pyrolysis products, toxic.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### **Acute toxicity**

Toxic if swallowed, in contact with skin or if inhaled.



according to UK REACH Regulation

# Sulfonamides Mix 2; various concentrations in Methanol/Acetonitrile 1:1

Revision date: Product code: SA-MIX015-AMP Page 7 of 10

| CAS No    | Chemical name           |                                               |          |          |        |          |  |  |  |
|-----------|-------------------------|-----------------------------------------------|----------|----------|--------|----------|--|--|--|
|           | Exposure route          | Dose                                          |          | Species  | Source | Method   |  |  |  |
| 75-05-8   | acetonitrile; cyanometh | ane                                           |          |          |        | <u> </u> |  |  |  |
|           | oral                    | ATE<br>mg/kg                                  | 500      |          |        |          |  |  |  |
|           | dermal                  | LD50<br>mg/kg                                 | 988      | Rabbit   | IUCLID |          |  |  |  |
|           | inhalation vapour       | ATE                                           | 11 mg/l  |          |        |          |  |  |  |
|           | inhalation dust/mist    | ATE                                           | 1,5 mg/l |          |        |          |  |  |  |
| 67-56-1   | methanol                |                                               |          | T        |        |          |  |  |  |
|           | oral                    | ATE<br>mg/kg                                  | 100      |          |        |          |  |  |  |
|           | dermal                  | ATE<br>mg/kg                                  | 300      |          |        |          |  |  |  |
|           | inhalation vapour       | ATE                                           | 3 mg/l   |          |        |          |  |  |  |
|           | inhalation dust/mist    | ATE                                           | 0,5 mg/l |          |        |          |  |  |  |
| 1220-83-3 | Sulfamonomethoxine      |                                               |          | <u> </u> |        |          |  |  |  |
|           | oral                    | LD50<br>mg/kg                                 | >10000   | Rat      |        |          |  |  |  |
| 723-46-6  | Sulfamethoxazole        |                                               |          |          |        |          |  |  |  |
|           | oral                    | LD50<br>mg/kg                                 | 2300     | Mouse    |        |          |  |  |  |
| 80-32-0   | Sulfachloropyridazine   |                                               |          |          |        |          |  |  |  |
|           | oral                    | ATE<br>mg/kg                                  | 500      |          |        |          |  |  |  |
| 127-79-7  | Sulfamerazine           | 1 3 3                                         |          |          |        |          |  |  |  |
|           | oral                    | LD50<br>mg/kg                                 | 1500     | Mouse    |        |          |  |  |  |
| 122-11-2  | Sulfadimethoxine        |                                               |          |          |        |          |  |  |  |
|           | oral                    | LD50<br>mg/kg                                 | 1000     | Rabbit   |        |          |  |  |  |
| 72-14-0   | Sulfathiazole           | <u>, , , , , , , , , , , , , , , , , , , </u> |          |          | ,      |          |  |  |  |
|           | oral                    | LD50<br>mg/kg                                 | 4500     | Mouse    |        |          |  |  |  |
| 144-82-1  | Sulfamethizole          | <u> </u>                                      |          |          |        |          |  |  |  |
|           | oral                    | LD50<br>mg/kg                                 | 3500     | Rat      |        |          |  |  |  |
| 2447-57-6 | Sulfadoxine             | <u> </u>                                      |          |          | ,      |          |  |  |  |
|           | oral                    | LD50<br>mg/kg                                 | 5200     | Mouse    |        |          |  |  |  |
| 68-35-9   | Sulfadiazine            |                                               |          |          |        |          |  |  |  |
|           | oral                    | LD50<br>mg/kg                                 | 1500     | Mouse    |        |          |  |  |  |
| 599-79-1  | Sulfasalazine           | 19/119                                        |          |          |        |          |  |  |  |
|           | oral                    | LD50<br>mg/kg                                 | 15600    | Rat      |        |          |  |  |  |
| 144-83-2  | Sulfapyridine           | 19,1.9                                        |          |          |        |          |  |  |  |
|           | oral                    | LD50<br>mg/kg                                 | 15800    | Rat      |        |          |  |  |  |



according to UK REACH Regulation

## Sulfonamides Mix 2; various concentrations in Methanol/Acetonitrile 1:1

Revision date: Product code: SA-MIX015-AMP Page 8 of 10

| 80-35-3  | Sulfamethoxypyridazine                 |               |      |     |  |  |  |  |  |
|----------|----------------------------------------|---------------|------|-----|--|--|--|--|--|
|          | oral                                   | LD50<br>mg/kg | 2739 | Rat |  |  |  |  |  |
| 63-74-1  | Sulfanilamide                          |               |      |     |  |  |  |  |  |
|          | oral                                   | LD50<br>mg/kg | 3900 | Rat |  |  |  |  |  |
| 59-40-5  | Sulfaquinoxaline                       |               |      |     |  |  |  |  |  |
|          | oral                                   | LD50<br>mg/kg | 1370 | Rat |  |  |  |  |  |
| 102-65-8 | Sulfachloropyrazine (Sulf              | aclozine)     |      |     |  |  |  |  |  |
|          | oral                                   | ATE<br>mg/kg  | 500  |     |  |  |  |  |  |
| 80-08-0  | dapsone; 4,4'-diamino diphenyl sulfone |               |      |     |  |  |  |  |  |
|          | oral                                   | ATE<br>mg/kg  | 500  |     |  |  |  |  |  |

## Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Causes damage to organs. (methanol)

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

No data available

| CAS No   | Chemical name                       |      |      |                               |         |        |        |  |  |  |
|----------|-------------------------------------|------|------|-------------------------------|---------|--------|--------|--|--|--|
|          | Aquatic toxicity                    | Dose |      | [h]   [d]                     | Species | Source | Method |  |  |  |
| 75-05-8  | acetonitrile; cyanomethane          |      |      |                               |         |        |        |  |  |  |
|          | Acute fish toxicity LC50 1640 mg/l  |      | 96 h | Pimephales promelas           | IUCLID  |        |        |  |  |  |
| 723-46-6 | Sulfamethoxazole                    |      |      |                               |         |        |        |  |  |  |
|          | Acute fish toxicity LC50 562.5 mg/l |      |      | Oryzias latipes<br>(Ricefish) |         |        |        |  |  |  |

## 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.



according to UK REACH Regulation

#### Sulfonamides Mix 2; various concentrations in Methanol/Acetonitrile 1:1

Revision date: Product code: SA-MIX015-AMP Page 9 of 10

#### Partition coefficient n-octanol/water

| CAS No  | Chemical name              | Log Pow |
|---------|----------------------------|---------|
| 75-05-8 | acetonitrile; cyanomethane | -0,34   |

#### 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Disposal recommendations

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### Contaminated packaging

This material and its container must be disposed of as hazardous waste.

## **SECTION 14: Transport information**

Land transport (ADR/RID)

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No data available

## 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

#### **National regulatory information**



according to UK REACH Regulation

### Sulfonamides Mix 2; various concentrations in Methanol/Acetonitrile 1:1

Revision date: Product code: SA-MIX015-AMP Page 10 of 10

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

## 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

#### **SECTION 16: Other information**

## Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eve irritation.

H319 Causes serious eye irritation.
H320 Causes eye irritation.
H331 Toxic if inhaled.
H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H361f Suspected of damaging fertility.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H370 Causes damage to organs. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The substances are only for R&D. Do not use as a drug, in household or other applications.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)