

Safety Data Sheet

according to UK REACH Regulation

Basic Red 46-D3

Revision date: 04.04.2025

Product code: FS018

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Basic Red 46-D3

Further trade names

1,4-Dimethyl-5-[2-[4-[methyl-D3-(phenylmethyl)amino]phenyl]diazenyl]-4H-1,2,4-triazolium iodide

CAS No: na

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Reference standard for analysis.

1.3. Details of the supplier of the safety data sheet

| | | | |
|---------------|---|----------|---------------|
| Company name: | WITEGA Laboratorien Berlin-Adlershof GmbH | | |
| Street: | James-Franck-Strasse 4 | | |
| Place: | D-12489 Berlin | | |
| Telephone: | +493063922001 | Telefax: | +493063922007 |
| e-mail: | witega@witega.de | | |
| Internet: | www.witega.de | | |

1.4. Emergency telephone number: +493063922001**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

Eye Dam. 1; H318

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Signal word:** Danger**Pictograms:****Hazard statements**

| | |
|------|--|
| H318 | Causes serious eye damage. |
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary statements

| | |
|----------------|--|
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P262 | Do not get in eyes, on skin, or on clothing. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Sum formula: C18H18D3IN6

Safety Data Sheet

according to UK REACH Regulation

Basic Red 46-D3

Revision date: 04.04.2025

Product code: FS018

Page 2 of 7

Molecular weight: 451.32 g/mol

Hazardous components

| CAS No | Chemical name | | | Quantity |
|--------|--|----------|----------|----------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| na | Basic Red 46-D3 | | | 100 % |
| | Eye Dam. 1, Aquatic Chronic 3; H318 H412 | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Remove contaminated, saturated clothing immediately. Subsequently wash off with: Water and soap

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Get immediate medical advice/attention.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Water spray jet. Foam. Dry extinguishing powder. Carbon dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic. In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Use personal protection equipment. Do not breathe gas/fumes/vapour/spray.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Safety Data Sheet

according to UK REACH Regulation

Basic Red 46-D3

Revision date: 04.04.2025

Product code: FS018

Page 3 of 7

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Advice on general occupational hygiene

Use personal protection equipment.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Avoid: UV-radiation/sunlight

Further information on storage conditions

storage temperature: 2-8°C

7.3. Specific end use(s)

none

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection

Hand protection

Wear suitable gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

lab coat

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|----------|-------------------|
| Physical state: | solid | |
| Colour: | dark red | |
| Melting point/freezing point: | | 185-188 °C |
| Boiling point or initial boiling point and boiling range: | | No data available |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | No data available |

Safety Data Sheet

according to UK REACH Regulation

Basic Red 46-D3

Revision date: 04.04.2025

Product code: FS018

Page 4 of 7

| | |
|--|-------------------|
| Auto-ignition temperature: | No data available |
| Decomposition temperature: | No data available |
| pH-Value: | No data available |
| Water solubility: | No data available |
| Solubility in other solvents | |
| No data available | |
| Partition coefficient n-octanol/water: | No data available |
| Vapour pressure: | No data available |
| Density: | No data available |
| Relative vapour density: | No data available |

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

 No data available

Self-ignition temperature

 Solid:

No data available

 Gas:

No data available

Oxidizing properties

 No data available

Other safety characteristics

Evaporation rate:

No data available

Further Information

none

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with : Oxidising agent, Alkali (lye), Etchant and acids

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Do not expose to temperatures exceeding 50 °C/122 °F.

10.5. Incompatible materials

Oxidising agent, Alkali (lye), Etchant and acids

10.6. Hazardous decomposition products

In case of fire may be liberated: Pyrolysis products, toxic.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Safety Data Sheet

according to UK REACH Regulation

Basic Red 46-D3

Revision date: 04.04.2025

Product code: FS018

Page 5 of 7

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Contaminated packaging

This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

UN 3261

14.2. UN proper shipping name:

CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Classification code:

C4

Special Provisions:

274

Limited quantity:

5 kg

Excepted quantity:

E1

Transport category:

3

Hazard No:

80

Tunnel restriction code:

E

Inland waterways transport (ADN)

14.1. UN number or ID number:

UN 3261

Safety Data Sheet

according to UK REACH Regulation

Basic Red 46-D3

Revision date: 04.04.2025

Product code: FS018

Page 6 of 7

14.2. UN proper shipping name:

CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Classification code:

C4

Special Provisions:

274

Limited quantity:

5 kg

Excepted quantity:

E1

Marine transport (IMDG)

14.1. UN number or ID number:

UN 3261

14.2. UN proper shipping name:

CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Special Provisions:

223 274

Limited quantity:

5 kg

Excepted quantity:

E1

EmS:

F-A, S-B

Segregation group:

1 - acids

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

UN 3261

14.2. UN proper shipping name:

CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Special Provisions:

A3 A803

Limited quantity Passenger:

5 kg

Passenger LQ:

Y845

Excepted quantity:

E1

IATA-packing instructions - Passenger:

860

IATA-max. quantity - Passenger:

25 kg

IATA-packing instructions - Cargo:

864

IATA-max. quantity - Cargo:

100 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

Yes



14.6. Special precautions for user

No data available

14.7. Maritime transport in bulk according to IMO instruments

Safety Data Sheet

according to UK REACH Regulation

Basic Red 46-D3

Revision date: 04.04.2025

Product code: FS018

Page 7 of 7

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

3 - highly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

| | |
|------|--|
| H318 | Causes serious eye damage. |
| H412 | Harmful to aquatic life with long lasting effects. |

Further Information

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The substances are only for R&D. Do not use as a drug, in household or other applications.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)