WITEGA Laboratorien Berlin-Adlershof GmbH



Safety Data Sheet

according to UK REACH Regulation

Bisphenol-A-13C12

Revision date: Product code: PC010 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Bisphenol-A-13C12

Further trade names

4,4'-(1-Methylethylidene)bis[phenol-1,2,3,4,5,6-13C6] CAS No: 263261-65-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Reference standard for analysis.

1.3. Details of the supplier of the safety data sheet

Company name: WITEGA Laboratorien Berlin-Adlershof GmbH

Street: James-Franck-Strasse 4

Place: D-12489 Berlin

Telephone: +493063922001 Telefax: +493063922007

e-mail: witega@witega.de
Internet: www.witega.de

1.4. Emergency telephone +493063922001

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Eye Dam. 1; H318 Skin Sens. 1; H317 Repr. 1B; H360F STOT SE 3; H335 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Danger

Pictograms:









Hazard statements

H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.

H360F May damage fertility.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P262 Do not get in eyes, on skin, or on clothing.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if



according to UK REACH Regulation

Bisphenol-A-13C12

Revision date: Product code: PC010 Page 2 of 8

present and easy to do. Continue rinsing.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Sum formula: C313C12H16O2 Molecular weight: 240.20 g/mol

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
263261-65-0	Bisphenol-A-13C12			100 %
	Repr. 1B, Eye Dam. 1, Skin Sens. 1, STOT SE 3, Aquatic Chronic 1; H360F H318 H317 H335 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
263261-65-0		Bisphenol-A-13C12	100 %
	dermal: LD50 = 3000 mg/kg; oral: LD50 = 2000-5000 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Remove contaminated, saturated clothing immediately. Subsequently wash off with: Water and soap

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Get immediate medical advice/attention.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet. Foam. Dry extinguishing powder. Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic. In case of fire and/or explosion do not breathe fumes.

WITEGA Laboratorien Berlin-Adlershof GmbH



Safety Data Sheet

according to UK REACH Regulation

Bisphenol-A-13C12

Revision date: Product code: PC010 Page 3 of 8

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment. Do not breathe gas/fumes/vapour/spray.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Advice on general occupational hygiene

Use personal protection equipment.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Avoid: UV-radiation/sunlight

Further information on storage conditions

storage temperature: 2-8°C

7.3. Specific end use(s)

none

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection

Hand protection

Wear suitable gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

lab coat

Respiratory protection

In case of inadequate ventilation wear respiratory protection.



according to UK REACH Regulation

Bisphenol-A-13C12

Revision date: Product code: PC010 Page 4 of 8

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid Colour: white

Melting point/freezing point:

157-159 °C

Boiling point or initial boiling point and

No data available

boiling range:

No data available Flammability: Lower explosion limits: No data available Upper explosion limits: No data available No data available Flash point: Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value: No data available Water solubility: No data available

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Density:

No data available

No data available

No data available

No data available

Relative vapour density:

No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available
Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available

Further Information

none

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with: Oxidising agent, Alkali (Iye), Etchant and acids

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Do not expose to temperatures exceeding 50 °C/122 °F.

10.5. Incompatible materials

Oxidising agent, Alkali (Iye), Etchant and acids

10.6. Hazardous decomposition products

In case of fire may be liberated: Pyrolysis products, toxic.



according to UK REACH Regulation

Bisphenol-A-13C12

Revision date: Product code: PC010 Page 5 of 8

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
263261-65-0	Bisphenol-A-13C12					
		LD50 2000- 5000 mg/kg	Rat			
	dermal	LD50 3000 mg/kg	Rabbit			

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Bisphenol-A-13C12)

Carcinogenic/mutagenic/toxic effects for reproduction

May damage fertility. (Bisphenol-A-13C12)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (Bisphenol-A-13C12)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
263261-65-0	Bisphenol-A-13C12						
	Acute fish toxicity	LC50 mg/l	7.05	96 h			
	Acute crustacea toxicity	EC50 mg/l	8.98	48 h			

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects



according to UK REACH Regulation

Bisphenol-A-13C12

Revision date: Product code: PC010 Page 6 of 8

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Contaminated packaging

This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

Land transport (ADR/RID)

UN 3077 14.1. UN number or ID number:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 14.4. Packing group:

Ш

Hazard label:



Classification code: M7

Special Provisions: 274 335 375 601

Limited quantity: 5 kg Excepted quantity: E1 Transport category: 3 Hazard No: 90 Tunnel restriction code:

Inland waterways transport (ADN)

UN 3077 14.1. UN number or ID number:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. 14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard label:

Classification code:

Ш

Special Provisions: 274 335 375 601

Limited quantity: 5 kg Excepted quantity: E1

Marine transport (IMDG)

UN 3077 14.1. UN number or ID number:

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label:



Special Provisions: 274 335 966 967 969

WITEGA Laboratorien Berlin-Adlershof GmbH



Safety Data Sheet

according to UK REACH Regulation

Revision date:

Bisphenol-A-13C12

Product code: PC010

Page 7 of 8

Limited quantity: 5 kg
Excepted quantity: E1
EmS: F-A, S-F
Segregation group: 1 - acids

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3077

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

Special Provisions: A97 A158 A179 A197 A215

Limited quantity Passenger: 30 kg G Passenger LQ: Y956 Excepted quantity: E1

IATA-packing instructions - Passenger:956IATA-max. quantity - Passenger:400 kgIATA-packing instructions - Cargo:956IATA-max. quantity - Cargo:400 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



14.6. Special precautions for user

No data available

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.

H360F May damage fertility.





according to UK REACH Regulation

Bisphenol-A-13C12

Revision date: Product code: PC010 Page 8 of 8

H410

Very toxic to aquatic life with long lasting effects.

Further Information

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The substances are only for R&D. Do not use as a drug, in household or other applications.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)